

Televes **DATACOM**

Networking and structured cabling products and solutions for data networks in commercial, hospitality and residential environments, aimed at the professional installer and integrator.





DATAKOM OPTICAL FIBER

Ref.	Description		
CABLES AND PATCH-CORDS			
MULTI-FIBER			
Tight buffer 250µm			
231414	FK16 Multi-fiber Cable 16 Single-mode Fibers Indoor/Outdoor UV Resistant LSFH Dca		1
231415	FK16 Multi-fiber Cable 16 Single-mode Fibers Indoor/Outdoor UV-resistant LSFH Dca		2000
231614	FK24 Multi-fiber Cable 24 Single-mode Fibers Indoor/Outdoor UV Resistant LSFH Dca		1
231615	FK24 Multi-fiber Cable 24 Single-mode Fibers Indoor/Outdoor UV-resistant LSFH Dca		2000
231714	FK48 Multi-fiber Cable 48 Single-mode Fibers Indoor/Outdoor UV Resistant LSFH Dca		1
231715	FK48 Multi-fiber Cable 48 Single-mode Fibers Indoor/Outdoor UV-resistant LSFH Dca		2000
4 FIBERS			
Tight buffer 250µm			
★ 231942	FK4 Fiber Cable 4 single-mode Fibers Indoor LSFH Cca		500/1500
2 FIBERS			
Tight buffer 250µm			
231913	FK2-Drop Cable 2 Single-mode Fibers Indoor (FTTH) LSFH		1000
Tight buffer 900µm			
231901	FK2 Fiber Cable 2 Single-mode Fibers Indoor LSFH Dca		300/1500
231902	FK2 Fiber Cable 2 Single-mode Fibers Indoor LSFH Dca		750
231905	FK2 Fiber Cable 2 Single-mode Fibers Indoor LSFH Dca		3000
232001	FK2 Fiber Cable 2 Single-mode Fibers Outdoor LSFH UV Resistant Dca		200/1000
232002	FK2 Fiber Cable 2 Single-mode Fibers Outdoor LSFH UV Resistant Dca		500
232005	FK2 Fiber Cable 2 Single-mode Fibers Outdoor LSFH UV Resistant Dca		3000
PRE-TERMINATED PATCH CORDS			
With SC/APC connectors			
★ 230801	Kit: Pigtail (900µm) F.O.Patch Cords Single-mode Indoor LSFH "SC/APC" 1m (24 units, various colours)		1
232602	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC" 2m. Convertible to Pigtail (900µm)		25
★ 232603	Pigtail (900µm) F.O.Patch Cord Single-mode Indoor LSFH "SC/APC" 1m		25
★ 232610	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 5m		1
232611	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 10m		1
232612	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 15m		1
★ 232613	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 20m		1
232614	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 25m		1
★ 232615	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 30m		1
232616	F.O.Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 40m		1
232621	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC" 2m (Bag B4)		1/10
232623	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC" 0.5m (Bag B4)		1/20
232626	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC" 1m (Bag B4)		1/20
★ 232650	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 5m		1
★ 232651	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 10m		1
232652	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 15m		1
★ 232653	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 20m		1
232654	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 25m		1
232656	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 40m		1
232657	F.O.Duplex Patch Cord Single-mode Indoor LSFH Dca "SC/APC" 55m		1



▲ 232610



▲ 232653

Televes

F.O. CABLES

Fiber's tight buffer Ø 250µm

▲ 48 Fibers
(23171x)▲ 24 Fibers
(23161x)▲ 16 Fibers
(23141x)▲ 4 Fibers -
Indoor
(231942)


Fiber's tight buffer Ø 900µm

▲ 2 Fibers - Indoor
(23190x)▲ 2 Fibers - Outdoor
(23200x)

▲ 230801




▲ 232602



▲ 232603

DATAKOM **OPTICAL FIBER**

Ref.	Description		
CABLES AND PATCH-CORDS			
PRE-TERMINATED PATCH CORDS			
With SC/PC connectors			
★ 230901	Pigtail (900µm) F.O.Patch Cord Multi-mode OM3 Indoor LSFH "SC/PC" 2m	●	1
★ 230911	Pigtail (900µm) F.O.Patch Cord Multi-mode OM4 Indoor LSFH "SC/PC" 2m	●	1
★ 230920	F.O. Duplex Patch Cord Multi-mode OM3 Indoor LSFH "SC/PC" 2m	●	1
★ 230930	F.O. Duplex Patch Cord Multi-mode OM4 Indoor LSFH "SC/PC" 2m	●	1
With LC/APC connectors			
★ 230608	Pigtail (900µm) F.O.Patch Cord Single-mode Indoor LSFH "LC/APC" 1m	●	1
★ 230802	Kit: Pigtail (900µm) F.O.Patch Cords Single-mode Indoor LSFH "LC/APC" 1m (24 units, various colours)	●	1
★ 232683	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC" 3m	●	1
With LC/UPC connectors			
★ 230609	Pigtail (900µm) F.O.Patch Cord Single-mode Indoor LSFH "LC/UPC" 1m	○	1
232662	F.O.Duplex Patch Cord Single-mode Indoor LSFH "LC/UPC" 2m	●	1
232672	F.O.Patch Cord Single-mode Indoor LSFH "LC/UPC" 2m	●	1
With LC/PC connectors			
230601	F.O.Patch Cord Multi-mode OM3 Indoor LSFH "LC/PC" 2m. Convertible to Pigtail (900µm)	●	1
230622	F.O.Duplex Patch Cord Multi-mode OM3 Indoor LSFH "LC/PC" 2m	●	1
★ 230912	Pigtail (900µm) F.O.Patch Cord Multi-mode OM4 Indoor LSFH "LC/PC" 2m	●	1
★ 230932	F.O.Duplex Patch Cord Multi-mode OM4 Indoor LSFH LC/PC 2m	●	1
With FC/UPC connectors			
2361	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 3m	●	1
236101	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 5m	●	1
236102	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 10m	●	1
236103	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 20m	●	1
236104	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 30m	●	1
236105	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 40m	●	1
236106	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 50m	●	1
236107	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 75m	●	1
236108	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 100m	●	1
236109	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 200m	●	1
236110	F.O.Patch Cord Shielded Single-mode Outdoor LSFH UV Resistant "FC/UPC" 1m	●	1
Adapter cords			
★ 230921	F.O.Duplex Patch Cord Multi-mode OM3 Indoor LSFH "LC/PC-SC/PC" 2m	●	1
★ 230931	F.O.Duplex Patch Cord Multi-mode OM4 Indoor LSFH "LC/PC-SC/PC" 2m	●	1
232622	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC-SC/UPC" 0.2m	●	1
232624	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC-FC/UPC" 2m (Bag B4)	●	1/10
232625	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC-SC/UPC" 0.4m	●	1
232627	F.O.Patch Cord Single-mode Indoor LSFH "SC/APC-LC/UPC" 2m	●	1
★ 232628	F.O.Patch Cord Single-mode Indoor LSFH "LC/APC-SC/APC" 2m	●	1





DATAKOM
OPTICAL FIBER

Ref.	Description	
CABLES AND PATCH-CORDS		
ACCESSORIES		
Adapters		
233203	Simplex F.O. Adapter Single-Mode "SC/APC" Female - "SC/APC" Female, with Auto-blocking Cap, Plastic Box	25
233210	Duplex F.O. Adapter Single-Mode "SC/APC" Female - "SC/APC" Female, with Auto-blocking Cap	20/1000
233211	Duplex F.O. Adapter Multi-Mode "SC" Female - "SC" Female	20
233212	Duplex F.O. Adapter Single-Mode "LC" Female - "LC" Female, Plastic Box	25
233213	Duplex F.O. Adapter Multi-Mode "LC" Female - "LC" Female, Plastic Box	25
2354	Simplex F.O. Adapter Single-Mode "FC" Female - "FC" Female	5
2356	Simplex F.O. Adapter Single-Mode "FC" Female - "SC" Female	5
Dispensers		
212001	Coaxial Cable / Optical Fiber Dispenser, Small model (Plastic drums: Coaxial cable 100m and F.O. 200/300m)	1
212011	Coaxial Cable / Optical Fiber Dispenser, Large model (Plastic drums: Coaxial cable 250m and F.O. 500/750m)	1
Fixing		
200101	Velcro Tape for Cables 8m, Width: 20mm, Black (2 units)	1
200102	Velcro Flange for Cables, Width: 15mm, Black (10 units)	1



2120xx
(Cable drum not included)



233203



233210



233211



233212



233213



Ref.	Description	
OPTICAL DISTRIBUTION		
SPLITTERS		
SC/APC connection		
★ 233710	Optical Splitter 1250...1650nm "SC/APC" 2W 4dB	1/10
★ 233910	Optical Splitter 1250...1650nm "SC/APC" 4W 7dB	1/10
★ 234410	Optical Splitter 1250...1650nm "SC/APC" 8W 10dB	1
★ 234510	Optical Splitter 1250...1650nm "SC/APC" 16W 14dB	1
★ 234610	Optical Splitter 1250...1650nm "SC/APC" 32W 17dB	1
FC/UPC connection		
235701	Optical Splitter 1250...1650nm "FC/UPC" 2W 4dB	1
235901	Optical Splitter 1250...1650nm "FC/UPC" 4W 7dB	1
236001	Optical Splitter 1250...1650nm "FC/UPC" 8W 10.1dB	1
SPLITTERS (PLC)		
233750	Optical Splitter, PLC Component, 1260...1650nm "SC/APC" 2W 4dB	1
233950	Optical Splitter, PLC Component, 1260...1650nm "SC/APC" 4W 7dB	1
234450	Optical Splitter, PLC Component, 1260...1650nm "SC/APC" 8W 10dB	1
234550	Optical Splitter, PLC Component, 1260...1650nm "SC/APC" 16W 14dB	1
234650	Optical Splitter, PLC Component, 1260...1650nm "SC/APC" 32W 17dB	1
ATTENUATORS		
SC/APC connection		
236410	Optical Attenuator 1310/1550nm "SC/APC" 2dB	1
236411	Optical Attenuator 1310/1550nm "SC/APC" 5dB	1
236412	Optical Attenuator 1310/1550nm "SC/APC" 10dB	1
★ 236413	Optical Attenuator 1310/1550nm "SC/APC" 15dB	1
FC/UPC connection		
2364	Optical Attenuator 1310/1550nm "FC/UPC" 5dB	5
2365	Optical Attenuator 1310/1550nm "FC/UPC" 10dB	5
2366	Optical Attenuator 1310/1550nm "FC/UPC" 15dB	5
MULTIPLEXERS (WDM)		
234740	WDM Module Optical Multiplexer/Demultiplexer 1i/2o "SC/APC": GPON+RF: Data (1310/1490nm) - TV (1550nm)	1



▲ 233910



▲ 234610



▲ 234450



▲ 236413



▲ 2364



▲ 234740

DATAKOM OPTICAL FIBER

Ref.	Description	
OPTICAL DISTRIBUTION		
PATCH BOXES		
231502	F.O. Patch/Splitting Box 2 to 4 Outs ("SC/APC" Female - Female adapters included)	1
231520	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 15m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231521	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 25m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231522	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 40m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231523	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 55m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231524	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 70m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231525	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 85m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231526	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 100m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231530	F.O. Patch Box 4 Outs: 4 Pre-terminated Cca Fibers of 15m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231531	F.O. Patch Box 4 Outs: 4 Pre-terminated Cca Fibers of 25m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231532	F.O. Patch Box 4 Outs: 4 Pre-terminated Cca Fibers of 40m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231533	F.O. Patch Box 4 Outs: 4 Pre-terminated Fca Fibers of 55m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231534	F.O. Patch Box 4 Outs: 4 Pre-terminated Cca Fibers of 70m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231535	F.O. Patch Box 4 Outs: 4 Pre-terminated Cca Fibers of 85m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231536	F.O. Patch Box 4 Outs: 4 Pre-terminated Cca Fibers of 100m on one end with dispenser box ("SC/APC" Female - Female adapters included)	1
231540	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 15m on one end ("SC/APC" Female - Female adapters included)	1
231541	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 25m on one end ("SC/APC" Female - Female adapters included)	1
231542	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 40m on one end ("SC/APC" Female - Female adapters included)	1
231543	F.O. Patch Box 2 to 4 Outs: 2 Pre-terminated Dca Fibers of 55m on one end ("SC/APC" Female - Female adapters included)	1
OUTLETS/KEYSTONES		
233230	Keystone Module for F.O. Adapter "SC" Simplex or "LC" Duplex Female, Plastic Box	25/250
233231	F.O. Outlet: Keystone Module + Adapter "SC / APC" Female with Internal Shutter, Plastic Box	20/200
233232	F.O. Rosette + Simplex Adapter "SC/APC" Female with Internal Shutter	5
233240	F.O. Outlet Kit: Keystone Module + Adapter "SC / APC" Female with Internal Shutter + Patch Cord Single-mode Pre-terminated LSFH Dca 10m	10
233241	F.O. Outlet Kit: Keystone Module + Adapter "SC / APC" Female with Internal Shutter + Patch Cord Single-mode Pre-terminated LSFH Dca 15m	8
★ 233242	F.O. Outlet Kit: Keystone Module + Adapter "SC / APC" Female with Internal Shutter + Patch Cord Single-mode Pre-terminated LSFH Dca 25m	6

Televes



▲ 23152x / 23153x



▲ 231540



▲ 233230



▲ 233231



▲ 233232




▲ 233242



DATAKOM COPPER SOLUTIONS

Ref.	Description		
CABLES AND PATCH-CORDS			
CATEGORY 7A			
Copper (Cu)			
★ 219202	Data Cable DK7000A S/FTP Cat 7A Dca Cu 23AWG LSFH Ø 7,7mm White	 	500
CATEGORY 7			
Copper (Cu)			
219102	Data Cable DK7000 S/FTP Cat 7 Cca Cu 23AWG LSFH Ø 7,4mm White	 	500
CATEGORY 6A			
Copper (Cu)			
219302	Data Cable DK6000A U/FTP Cat 6A Cca Cu 23AWG LSFH Ø 6,9mm White	 	500
219312	Data Cable DK6000A U/UTP Cat 6A Cca Cu 23AWG LSFH Ø 7,3mm Violet	 	500
219322	Data Cable DK6000A F/UTP Cat 6A Dca Cu 23AWG LSFH Ø 7,3mm Violet	 	500
CATEGORY 6			
Copper (Cu)			
212101	Data Cable DK6000 F/UTP Cat 6 Dca Cu 23AWG LSFH Ø 7,2mm Violet	 	500
212201	Data Cable DK6000 U/UTP Cat 6 Fca Cu 23AWG PE Ø 6,2mm White	 	305
2123	Data Cable DK6000 U/UTP Cat 6 Dca Cu 23AWG LSFH Ø 6,2mm Violet	 	305
212302	Data Cable DK6000 U/UTP Cat 6 Dca Cu 23AWG LSFH Ø 6,2mm Violet	 	1000
212305	Data Cable DK6000 U/UTP Cat 6 Dca Cu 23AWG LSFH Ø 6,2mm White	 	500
212310	Data Cable DK6000 U/UTP Cat 6 Dca Cu 24AWG LSFH Ø 6,0mm White	 	305
★ 212330	Data Cable DK6000 U/UTP Cat 6 Cca Cu 23AWG LSFH Ø 6,1mm White	 	500
Copper Clad Aluminium (CCA)			
219910	DK6000 Data Cable U/UTP Cat 6 Fca CCA 23AWG LSFH Ø 6,2mm White	 	305
CATEGORY 5E			
Copper (Cu)			
219602	Data Cable DK5000E U/UTP Cat 5E Eca Cu 24AWG LSFH Ø 5,5mm Grey	 	305
219701	Data Cable DK5000E U/UTP Cat 5E Fca Cu 24AWG PE Ø 5,5mm Black	 	305



References		219202	219102	219302	219312	219322	212330	212101	2123 212302 212305	212310	212201	219910	219602	219701
Type		S/FTP	S/FTP	U/FTP	U/UTP	F/UTP	U/UTP	F/UTP	U/UTP	U/UTP	U/UTP	U/UTP	U/UTP	U/UTP
Category		7A	7	6A	6A	6A	6	6	6	6	6	6	5E	5E
Euroclass		Dca	Cca	Cca	Cca	Dca	Cca	Dca	Dca	Dca	Fca	Fca	Eca	Fca
Conductor	Ø mm	0.58	0.55	0.55	0.55	0.55	0.54	0.55	0.55	0.51	0.55	0.59	0.50	0.50
	Material	Cu	Cu	Cu	Cu	Cu	Cu	Cu	Cu	Cu	Cu	CCA	Cu	Electrolytic Cu
Conductor Type	AWG	23	23	23	23	23	23	23	23	24	23	23	24	24
Conductor isolation	Ø mm	1.43	1.30	1.30	1.10	1.14	0.99	1.14	1.02	0.92	0.95	0.95	0.95	0.95
	Material	PE	PE	PE	PE	PE	PE	PE	PE	PE	PE	PE	PE	PE
Filler	Crucifix	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Shielding foil	Material	A	A	A	No	A	No	A	No	No	No	No	No	No
Outer shielding braid	Material	CuSn	CuSn	No	No	No	No	No	No	No	No	No	No	No
Ground cable	Ø mm	No	No	0,4	No	0,4	No	No	No	No	No	No	No	No
	Material	No	No	CuSn	No	CuSn	No	No	No	No	No	No	No	No
Outer sheath	Ø mm	7.70	7.40	6.90	7.30	7.30	6.10	7.20	6.20	6.00	6.20	6.20	5.50	5.50
	Material	LSFH	LSFH	LSFH	LSFH	LSFH	LSFH	LSFH	LSFH	LSFH	PE	LSFH	LSFH	PE
	Thickness (mm)	0.70	0.70	0.70	0.50	0.50	0.60	0.60	0.50	0.52	0.55	0.50	0.60	0.60
Rip cord		No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Spark test	VAC	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
Nominal impedance	Ohm	100	100	100	100	100	100	100	100	100	100	100	100	100
Max. conductor resistance	Ohm/Km	93.80	93.80	93.80	93.80	93.80	93.80	117.00	117.00	117.00	117.00	117.00	117.00	117.00
Nominal speed	%	79	79	79	72	72	72	72	72	72	72	72	69	69

Over Lapped Foil composition Environment

A Aluminium + Polyester

Other abbreviations

Cu Copper

CuSn Tinned copper

CCS Copper Clad Steel



DATAKOM COPPER SOLUTIONS

Ref.	Description		
CABLES AND PATCH-CORDS			
PATCH-CORDS			
Category 6A			
209101	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 0.5m Grey (Bag B0)	●	1
209102	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 1m Grey (Bag B0)	●	1
209103	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 2m Grey (Bag B0)	●	1
209104	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 3m Grey (Bag B0)	●	1
209105	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 5m Grey (Bag B0)	●	1
209111	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 0.5m Grey	●	10
209112	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 1m Grey	●	10
209113	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 2m Grey	●	10
209114	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 3m Grey	●	10
209115	Patch-cord RJ45 S/FTP Cat 6A Cu LSFH 5m Grey	●	10
Category 6			
209002	Patch-cord RJ45 U/UTP Cat 6 Cu PVC 1m White (Bag B0)	○	1
209003	Patch-cord RJ45 U/UTP Cat 6 Cu PVC 2m White (Bag B0)	○	1
209004	Patch-cord RJ45 U/UTP Cat 6 Cu PVC 3m White (Bag B0)	○	1
209005	Patch-cord RJ45 U/UTP Cat 6 Cu PVC 5m White (Bag B0)	○	1
209011	Patch-cord RJ45 U/UTP Cat 6 Cu LSFH 0,5m White	○	10
209012	Patch-cord RJ45 U/UTP Cat 6 Cu LSFH 1m White	○	10
209013	Patch-cord RJ45 U/UTP Cat 6 Cu LSFH 2m White	○	10
209014	Patch-cord RJ45 U/UTP Cat 6 Cu LSFH 3m White	○	10
209015	Patch-cord RJ45 U/UTP Cat 6 Cu LSFH 5m White	○	10
209301	Patch-cord RJ45 U/UTP Cat 6 Cu LSFH 0,3m White	○	1
ACCESSORIES			
200101	Velcro Tape for Cables 8m, Width: 20mm, Black (2 units)	●	1
200102	Velcro Flange for Cables, Width: 15mm, Black (10 units)	●	1



▲ 200101



▲ 200102



▲ 209101



▲ 209111



▲ 209004



▲ 209015

Televes



DATAKOM COPPER SOLUTIONS

Ref.	Description	
CONNECTORS		
CATEGORY 6A		
209921	Data Connector RJ45 UTP Cat 6A Female. Wing-nut assembly type, Plastic Box	10
★ 209922	Data Connector RJ45 UTP Cat 6A Male, Plastic Box	50
209923	Data Connector RJ45 FTP Cat 6A Female. Grip assembly type, Plastic Box	10
209924	Data Connector RJ45 FTP Cat 6A Male with Blue Protective Sleeve. Grip assembly type	25
CATEGORY 6		
209901	Data Connector RJ45 UTP Cat 6 Female 90°/180°. Assembly with/without Tool, White, Plastic Box	15
209902	Data Connector RJ45 UTP Cat 6 Male, Plastic Box	50
209903	Data Connector RJ45 FTP Cat 6 Female. Grip assembly type, Plastic Box	10
209904	Data Connector RJ45 FTP Cat 6 Male, Plastic Box	50
★ 209905	Data Connector RJ45 UTP Cat 6 Female. Wing-nut assembly type, Plastic Box	10
★ 209906	Data Connector RJ45 UTP Cat 6 Male Pass-Through, Plastic Box	50
★ 209907	Data Connector RJ45 UTP Cat 6 Female 90°/180°. Assembly with/without Tool, Black, Plastic Box	15
209961	Data Connector RJ45 UTP Cat 6 Male with White Protective Sleeve, Plastic Box	25
209962	Data Connector RJ45 UTP Cat 6 Male with Grey Protective Sleeve, Plastic Box	25
★ 209965	Data Connector RJ45 UTP Cat 6 Male Pass-Through with White Protective Sleeve, Plastic Box	25
★ 209966	Data Connector RJ45 UTP Cat 6 Male Pass-Through with Grey Protective Sleeve, Plastic Box	25
KITS		
209401	Kit – Carrying case which includes: 50xRJ45 UTP Cat 6 Male connectors (ref. 209902), 15xRJ45 UTP Cat 6 Female connectors (ref. 209901), 1xCrimping tool (ref. 209801) and 10xVelcros flange (ref. 200102)	1
★ 209402	Kit – Carrying case which includes: 150xRJ45 male connectors Cat6 UTP pass through (ref. 209906), 1xAutomatic crimping tool for male connectors pass through and non-pass through (ref. 209802) and 10xVelcros flange (ref. 200102)	1

Ref.	Description	
TOOLS		
209801	Crimping Tool for RJ45/RJ11/RJ12 and 4P4C/4P2C Male Connectors	1
★ 209802	Crimping Tool with Automatic Cutting for pass-through and non-pass through RJ45 Male Connectors	1
209811	Termination Tool for RJ45 Female Connectors	1
2145	Professional Cable Stripper for Coaxial Cable and Data Cable	10
2162	Cable Stripper for Coaxial Cable and Data Cable (Bag B2)	1
2174	Professional Tool for Data Cable Mounting	1/20
2325	Round cable stripper for multifiber cables, data cables and coaxial cables	1

Ref.	Description	
DATA DISTRIBUTION		
PATCH BOXES		
546501	Passive Multiplexer "RJ45" Cat 6 1 Male - 9 Females, with 0.3m LSFH Lead	1
OUTLETS/ROSETTES		
209910	Data Terminal Box/Rosette with 1 UTP Cat 6 Female RJ45 Connector	5



▲ 209802



▲ 209811

Comparative video of a
connectorization with and
without a mounting tool.

▲ 209901



▲ 2145



▲ 546501



▲ 209910



▲ 209922



▲ 209923



▲ 209921



▲ 209924



▲ 209904



▲ 209906



▲ 209402



DATACOM

RACKS AND CABINETS

Televes

Ref.	Description	
19" RACKS		
RACKS		
600x450mm		
533105	19" Rack Cabinet 6RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x370x450mm. Wall/Ground Mount (Disassembled)	1
533106	19" Rack Cabinet 6RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x370x450mm. Wall/Ground Mount	1
533107	19" Rack Cabinet 8RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x460x450mm. Wall/Ground Mount (Disassembled)	1
533108	19" Rack Cabinet 8RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x460x450mm. Wall/Ground Mount	1
533112	19" Rack Cabinet 13RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x682x450mm. Wall/Ground Mount (Disassembled)	1/1
533113	19" Rack Cabinet 13RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x682x450mm. Wall/Ground Mount	1
★ 533114	19" Rack Cabinet 15RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x771x450mm. Wall/Ground Mount (Disassembled)	1
★ 533115	19" Rack Cabinet 15RU (+2RU extra). Glazed Door and Accessible from the side. Dimensions: 600x771x450mm. Wall/Ground Mount	1



▲ 533105/06



▲ 533107/08



▲ 533112/13



▲ 533114/15



In case of references that are supplied disassembled

REF.	N.º RU	MOUNTING	Max. LOAD CAPACITY (kg)	SUPPLY	LOCK	CABLE GUIDE	PERFORATED DOORS	WHEEL COMPATIBLE	COMPATIBLE FAN
533105	6 + 2RU	Wall and ground	60	Disassembled	Basic, Front	Horizontal	-	-	533174
533106	6 + 2RU	Wall and ground	60	Assembled	Basic, Front	Horizontal	-	-	533174
533107	8 + 2RU	Wall and ground	60	Disassembled	Basic, Front	Horizontal	-	-	533174
533108	8 + 2RU	Wall and ground	60	Assembled	Basic, Front	Horizontal	-	-	533174
533112	13 + 2RU	Wall and ground	60	Disassembled	Basic, Front	Horizontal	-	-	533174
533113	13 + 2RU	Wall and ground	60	Assembled	Basic, Front	Horizontal	-	-	533174
533114	15 + 2RU	Wall and ground	60	Disassembled	Basic, Front	Horizontal	-	-	533174
533115	15 + 2RU	Wall and ground	60	Assembled	Basic, Front	Horizontal	-	-	533174
533119	18RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533175
533118	18RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533175
533121	22RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533175
533122	22RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533175
533126	27RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533175
533127	27RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533175
533131	32RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533175
533132	32RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533175
533133	32RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533175
533134	32RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533175
533136	37RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533175
533137	37RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533175
533138	37RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533176
533139	37RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533176
533141	42RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533176
533142	42RU	Ground	1.000	Assembled	Professional, Front and Rear	-	-	✓	533176
533143	42RU	Ground	1.000	Disassembled	Professional, Front and Rear	-	-	✓	533176
533144	42RU	Ground	1.000	Assembled	Professional, Front and Rear	Vertical	-	✓	533176
533145	42RU	Ground	1.000	Assembled	Professional, Front and Rear	Vertical	✓	✓	533176
533146	42RU	Ground	1.000	Assembled	Professional, Front and Rear	Vertical	✓	✓	To Be Consulted
533147	42RU	Ground	1.000	Assembled	Professional, Front and Rear	Vertical	-	✓	To Be Consulted



Ref.	Description	
19" RACKS		
RACKS		
600x600mm		
533118	19" Rack Cabinet 18RU. Glazed Door and Accessible from the side. Dimensions: 600x942x600mm. Ground Mount	1
★ 533119	19" Rack Cabinet 18RU. Glazed Door and Accessible from the side. Dimensions: 600x942x600mm. Ground Mount (Disassembled)	1
★ 533121	19" Rack Cabinet 22RU. Glazed Door and Accessible from the side. Dimensions: 600x1120x600mm. Ground Mount (Disassembled)	1
533122	19" Rack Cabinet 22RU. Glazed Door and Accessible from the side. Dimensions: 600x1120x600mm. Ground Mount	1
★ 533126	19" Rack Cabinet 27RU. Glazed Door and Accessible from the side. Dimensions: 600x1342x600mm. Ground Mount (Disassembled)	1
533127	19" Rack Cabinet 27RU. Glazed Door and Accessible from the side. Dimensions: 600x1342x600mm. Ground Mount	1
★ 533131	19" Rack Cabinet 32RU. Glazed Door and Accessible from the side. Dimensions: 600x1564x600mm. Ground Mount (Disassembled)	1
533132	19" Rack Cabinet 32RU. Glazed Door and Accessible from the side. Dimensions: 600x1564x600mm. Ground Mount	1
★ 533136	19" Rack Cabinet 37RU. Glazed Door and Accessible from the side. Dimensions: 600x1787x600mm. Ground Mount (Disassembled)	1
533137	19" Rack Cabinet 37RU. Glazed Door and Accessible from the side. Dimensions: 600x1787x600mm. Ground Mount	1
600x800mm		
★ 533133	19" Rack Cabinet 32RU. Glazed Door and Accessible from the side. Dimensions: 600x1570x800mm. Ground Mount (Disassembled)	1
533134	19" Rack Cabinet 32RU. Glazed Door and Accessible from the side. Dimensions: 600x1570x800mm. Ground Mount	1
★ 533138	19" Rack Cabinet 37RU. Glazed Door and Accessible from the side. Dimensions: 600x1790x800mm. Ground Mount (Disassembled)	1
533139	19" Rack Cabinet 37RU. Glazed Door and Accessible from the side. Dimensions: 600x1790x800mm. Ground Mount	1
★ 533141	19" Rack Cabinet 42RU. Glazed Door and Accessible from the side. Dimensions: 600x2010x800mm. Ground Mount (Disassembled)	1
533142	19" Rack Cabinet 42RU. Glazed Door and Accessible from the side. Dimensions: 600x2010x800mm. Ground Mount	1
800x800mm		
★ 533143	19" Rack Cabinet 42RU. Glazed Door and Accessible from the side. Dimensions: 800x2010x800mm. Ground Mount (Disassembled)	1
533144	19" Rack Cabinet 42RU. Glazed Door and Accessible from the side. Dimensions: 800x2010x800mm. Ground Mount	1
★ 533145	19" Rack Cabinet 42RU. Perforated doors (double front, single rear) and Accessible from the side. Dimensions: 800x2010x800mm. Ground Mount	1
800x1000mm		
★ 533146	19" Rack Cabinet 42RU. Perforated doors (double front, single rear) and Accessible from the side. Dimensions: 800x2010x1000mm. Ground Mount	1
★ 533147	19" Rack Cabinet 42RU. Glazed Door and Accessible from the side. Dimensions: 800x2010x1000mm. Ground Mount	1
Rack frames		
★ 533101	Rack frame from 10" to 19" 8RU. Wall or perforated plate installation	1



▲ 533118



▲ 533122



▲ 533127




▲ 533132



▲ 533137



▲ 533144



▲ 533101



DATAKOM RACKS AND CABINETS

Ref.	Description	
19" RACKS		
PANELS		
Patch panels		
533150	Panel for Rack 19" 1RU, Up to 24 "F" connectors	1
533151	Panel for Rack 19" 1RU, Up to 24 "RJ45" connectors. UTP compatible	1
533153	Panel for Rack 19" 1RU, Up to 2x7 "F" connectors (suitable for T.OX modules)	1
533180	Patch Panel for Rack 19" 1RU, With 24 "RJ45" Cat 6 UTP connectors	1
533181	Patch Panel for Rack 19" 1RU, With 24 "RJ45" Cat 6A FTP connectors	1
533183	Panel for Rack 19" 1RU, Up to 24 "SC" Duplex or "LC" Quad connectors	1
★ 533187	Panel for Rack 19" 1RU, Up to 24 "RJ45" connectors with cable holder. UTP/FTP compatible	1
Organizing panels		
533158	Cable Management Panel for Rack 19" 1RU, 5 Rings of 80mm	1
533159	Cable Management Panel for Rack 19" 1RU, 1 Hole with Brush Strip	1
533160	Cable Management Panel for Rack 19" 1RU, Front Cover	1
★ 533186	DIN Rail Panel for Rack 19" 3RU, 24 Poles	1
★ 533190	Mounting plate for Rack 19" 4RU (Depth 62mm)	1
Blank panels		
533161	Blank Panel for Rack 19" 1RU	1
533162	Blank Panel for Rack 19" 2RU	1
TRAYS AND SPLICE BOXES		
533152	Splice Box for Rack 19" 1RU, Up to 24 "SC" Simplex or "LC" Duplex connectors (Depth 226mm)	1
533157	Splice Box for Rack 19" 2RU, Up to 48 "SC" Simplex or "LC" Duplex connectors (Depth 226mm)	1
★ 533168	Sliding Tray for Rack 19" 1RU (compatible with 450/600mm deep racks). Depth: 350mm. Sliding length: 225mm	1
★ 533169	Sliding Tray for Rack 19" 1U (compatible with 800/1000mm deep racks). Depth: 550mm. Sliding length: 390mm	1
533182	Splice Box for Rack 19" 1RU, Up to 24 "SC" Duplex or "LC" Quad connectors (Depth 226mm)	1
533185	Fixed tray for Rack 19" 2RU (Depth 350mm)	1
★ 533201	LGX rack mount for Rack 19" 1RU, Up to 3 LGX modules	1
★ 533202	Duplex F.O. module single-mode pre-terminated 6xSC/APC	1
★ 533203	Duplex F.O. module multi-mode pre-terminated 6xSC-SC	1
★ 533204	Duplex F.O. module single-mode pre-terminated 8xLC-LC	1
★ 533205	Duplex F.O. module multi-mode pre-terminated 8xLC-LC	1
VENTILATION		
533005	Thermostat with NO Contact 0...60°C for Rack 19"	1
533174	Individual Top Fan for Rack 19", 195m3/h	1
533175	Top Tray with 2 Fans for Rack 19" and 600mm depth, 390m3/h	1
533176	Top Tray with 4 Fans for Rack 19" and 800mm depth, 780m3/h	1
POWER SUPPLY		
533001	Power Distribution Panel for Rack 19" 1RU, 8 Schuko Outlets 16A with ON/OFF switch	1
★ 533010	SAI/UPS 1600VA/1000W ECO 8 IEC C13 Outputs	1
★ 533011	19" Rack Support for UPS (Ref.533010), 2U	1
ACCESSORIES		
533170	Screw Kit for Rack 19": Screw with washer and nut (50 units). Plastic Box	1
533171	Kit for Rack 19": 4 Wheels and Screws. Wheels compatible with 18U racks or larger.	1
533172	Rubber cap for splice box - "SC" Simplex or "LC" Duplex	24
★ 533173	Side door lock for 19" Rack, with 2 keys	1



▲ 533176



▲ 533010



▲ 533011

Televes



▲ 533181



▲ 533187



▲ 533158



▲ 533159



▲ 533182



▲ 533157



▲ 533001



RACKS AND CABINETS


Ref.	Description	
HEADEND CABINETS		
CABINETS		
5750	Cabinet for Headend Amplifier 440x440x140mm	1
5893	Indoor Lockable Cabinet with Mounting Plate, Dimensions: 300x400x200mm	1
589301	Indoor Lockable Cabinet with Mounting Plate, Dimensions: 400x400x200mm	1
589302	Indoor Lockable Cabinet with Mounting Plate, Dimensions: 400x600x200mm	1
589303	Indoor Lockable Cabinet with Mounting Plate, Dimensions: 600x600x200mm	1
589304	Indoor Lockable Cabinet with Mounting Plate, Dimensions: 600x800x200mm	1
PERFORATED PLATES		
5894	Perforated Mounting Plate 300x400mm, Distance from the wall 19mm	1/15
589401	Perforated Mounting Plate 400x400mm, Distance from the wall 19mm	1/15
589402	Perforated Mounting Plate 400x600mm, Distance from the wall 19mm	1/10
Ref.	Description	
ENCLOSURES		
FIBER SPLITTING ENCLOSURES		
231301	Splitting Terminal Enclosure for F.O., Indoor (Up to 16 fibers)	1
231302	Splitting Terminal Enclosure for F.O., Indoor (Up to 48 fibers)	1
★ 231303	Splitting Terminal Enclosure for F.O., Indoor and Outdoor (Up to 24 fibers)	1
★ 231304	Ultra-Compact Splitting Terminal Enclosure for F.O., Indoor (Up to 12 fibers)	1
★ 231305	Extension Frame for Ultra-Compact Splitting Terminal Enclosure for F.O. (+12 fibers)	1
231310	Splitting Terminal Enclosure for F.O., Indoor (Up to 8 fibers)	1
233002	Main Terminal Enclosure for F.O., Indoor (Up to 48 "SC" Simplex or "LC" Duplex connectors)	1
233003	Stackable Main Enclosure for F.O., Indoor (Up to 48 "SC" Simplex or "LC" Duplex connectors)	1
NETWORK ENCLOSURES		
546601	Closed Main Terminal Enclosure for Data/Coaxial/Fiber Distribution (Up to 48 connections)	1
546610	Open Main Terminal Panel for Data/Coaxial/Fiber Distribution (Up to 24 connections)	1
546701	Data/Coaxial/Fiber Network Terminal Enclosure with Flexible Front Frame	1
546702	Data/Coaxial/Fiber Network Terminal Enclosure	1
★ 546801	Network Enclosure for Data/Coax/Fiber (450x450x150)	1
ACCESSORIES		
233013	F.O. Organizer for enclosure REF.233003	1
233230	Keystone Module for F.O. Adapter "SC" Simplex or "LC" Duplex Female, Plastic Box	25/250
233231	F.O. Outlet: Keystone Module + Adapter "SC / APC" Female with Internal Shutter, Plastic Box	20/200
★ 533210	F.O. Organizer for splice box	1
546620	Coaxial Adapter Support "F" Female - "F" Female, for Panels (Refs. 546602 and 546610)	10

HDMI DISTRIBUTION

Ref.	Description		
CABLES			
494501	HDMI Cable Male-Male 1.5m Black (Blister T1)	●	1/8
494502	HDMI Cable Male-Male 3m Black (Blister T2)	●	1/10
494503	HDMI Cable Male-Male 5m Black (Blister T2)	●	1/10
494505	HDMI Cable Male-Male 1.5m Black (Bag)	●	1/100



▲ 494501



▲ 5893




▲ 231303



▲ 231304



▲ 233003



▼ 546610



▼ 546801



DATAKOM NETWORKING

Ref.	Description	
NETWORK ELECTRONICS		
ROUTERS		
769110	Network Manager: Router and Firewall, 4x Gb Ethernet	1
769111	Network Manager: Router and Firewall, 6x Gb Ethernet + 2x SFP	1
769121	Router 12x Gb Ethernet + 4x SFP, 36 core 19" Rack Mount, 1U	1
769122	Router 13x Gb Ethernet, 4 core, 19" Rack Mount, 1U	1
SWITCHES		
Managed		
★ 768150	Industrial Ethernet Switch L2+: 8x Gb Ethernet (PoE+, 240W) + 2x SFP (1 Gbps), -40...+75°C (without PSU)	1
769140	Ethernet Switch L2+: 8x Gb Ethernet (PoE+, 130W) + 2x SFP (1 Gbps)	1
769141	Ethernet Switch L2+: 24x Gb Ethernet (PoE+, 370W) + 4x SFP (1 Gbps)	1
769144	Ethernet Switch L2+: 24x Gb Ethernet + 4x SFP (1 Gbps)	1
769145	Ethernet Switch L2+: 48x Gb Ethernet + 6x SFP+ (10 Gbps)	1
★ 769147	Ethernet Switch L2+: 8x Gb Ethernet + 2x SFP (1 Gbps)	1
★ 769148	Ethernet Switch L3: 48x Gb Ethernet + 6x SFP+ (10Gbps)	1
★ 769149	Ethernet Switch L3: 8x Gb Ethernet + 24x SFP (1 Gbps) + 6x SFP+ (10 Gbps)	1
★ 769152	Ethernet Switch L2+: 8x Gb Ethernet/SFP Combo + 16x SFP (1 Gbps) + 4x SFP+ (10 Gbps)	1
Unmanaged		
768110	Ethernet Switch L2, Unmanaged: 5x 10/100/1000 Mbps	1
768111	Ethernet Switch L2, Unmanaged: 8x 10/100/1000 Mbps	1
768112	Ethernet Switch L2, Unmanaged: 8x Gb Ethernet (Long range PoE+, 120W) + 2x Gb Ethernet	1
★ 768121	Industrial Ethernet Switch L2, Unmanaged: 8x 10/100/1000 Mbps, -40...+75°C (without PSU)	1
MEDIA CONVERTERS		
★ 769150	SFP Media Converter 1GbE, 2 MMF (LC/PC), 850nm, 500m	1
769210	SFP Media Converter 1GbE 2 SMF "LC/UPC", 1310nm	1
769212	Kit: 2 SFP Media Converters 1GbE, SMF "LC/UPC", 1310+1490nm	1
★ 769215	RJ45-SFP Media Converter SMF/MMF, SFPs 769210/2 compatible	1
★ 769216	RJ45-F.O. Media Converter SMF, TX: 1310nm, RX: 1550nm	1
★ 769217	RJ45-F.O. Media Converter SMF, TX: 1550nm, RX: 1310nm	1
769412	SFP+ Media Converter 10GbE, 2 SMF "LC/UPC"	1
Ref.	Description	
WIFI ACCESS POINTS		
WAVEDATA SERIES		
WaveData Access Points		
769001	Indoor Wireless Access Point WaveData: 1x Ethernet WAN (PoE), 1x Ethernet LAN, 1x USB 3.0, WLAN b/g/n/ac (option Low Power WiFi)	1
769002	Indoor Wireless Access Point WaveData: 1x F.O. SFP, 1x Ethernet LAN, 1x USB 3.0, WLAN b/g/n/ac (option Low Power WiFi)	1
769011	Outdoor Wireless Access Point WaveData: 1x Ethernet WAN (PoE), 1x Ethernet LAN, 1x USB 3.0, WLAN b/g/n/ac	1
Accessories		
640301	Wall Mount for CoaxData/CoaxBox/WaveBox	1
Ref.	Description	
MANAGEMENT AND MONITORING		
769030	WaveBox device: Managing and monitoring the WaveData network	1
769112	Network Manager: Hotspot, 4x Gb Ethernet	1



▲ 769215



▲ 769216

Televes



▲ 769110



▲ 769111



▲ 769141



▲ 769148



▲ 768150



▲ 768111




▲ 769011



▲ 769001



Ref.	Description	
OPTICAL FIBER		
FUSION KITS		
Electric arc splice		
232105	F.O Kit: Arc Fusion Splicer + Stripper + Cleaver + Power adapter + Spare set of electrodes + Tweezers + Carrying Case	1
Mechanical splice		
2341	F.O Kit: Connector & Mechanical Splice + Stripper (Ref. 2324) + Cleaver (Ref. 232301) + Cleaning Tools	1
SIGNAL GENERATORS		
2340	OPS3L Triple Light Source (1310, 1490 & 1550nm)	1
TOOLS		
2322	Fiber Mechanical Splicer	1
232301	Cleaver of Fiber Optics	1
232310	Kevlar® Scissors for Optical Fibers	1
2324	Precision Stripper for Optical Fibers	1
2325	Round cable stripper for multifiber cables, data cables and coaxial cables	1
ACCESSORIES		
2327	Splicing Protection Sleeve 60mm for F0 fusion	200
232701	Splicing Protection Sleeve 43mm for F0 fusion	200
★ 232702	Splicing Protection Enclosure 101mm for F0 fusion	100
232710	F.O. Cleaning Kit: 50 isopropyl alcohol Wipes + 25 Sticks	1
★ 232753	Dry F.O. Cleaning wipes - 280 pcs/box	1/60
2328	Fiber Mechanical Splice	10
2329	Connector of Fiber Optics "SC/APC" (with mounting tool)	10
232910	Cleaner for Fiber Optic Connectors	1



▲ 232702



▲ 2329



▲ 2324



▲ 232310



▲ 2322



▲ 232301



▲ 232105



▲ 2341



▲ 2340



▲ 232910